

FA1 Series

IP66 die-cast aluminium type

1 cable entry
M16x1.5



FA131



FA134








FA132



FA133

TYPE OF OPERATOR	SHORT STEEL END PLUNGER	STEEL ROLLER PLUNGER	PA ROLLER LEVER PLUNGER HORIZONTAL ACTUATION	PA ROLLER LEVER PLUNGER VERTICAL ACTUATION
Standard - Positive opening NC contacts (→)	EN50047 (→)	EN50047 (→)	- (→)	- (→)
Minimum tripping force	15	12	7	7
Minimum positive opening force	30	30	24	24
Z11 1NC-1NO Snap action	FA131Z11 0 13 25 41 56mm	FA134Z11 0 25 47 76 96mm	FA132Z11 0 49 90 145 210mm	FA133Z11 0 49 90 145 210mm
X11 1NC-1NO Slow break	FA131X11 0 16 32 56mm 2.5	FA134X11 0 32 60 96mm 46	FA132X11 0 60 105 210mm 86	FA133X11 0 60 105 210mm 86
Y11 1NC-1NO overlapping Slow break	FA131Y11 0 29 45 56mm 1.5	FA134Y11 0 53 82 96mm 30	FA132Y11 0 102 146 210mm 54	FA133Y11 0 102 146 210mm 54
Z02 2NC Snap action	FA131Z02 0 13 24 40 56mm	FA134Z02 0 25 45 74 96mm	FA132Z02 0 51 86 131 210mm	FA133Z02 0 51 86 131 210mm
W02 2NC Slow break	FA131W02 0 15 31 56mm	FA134W02 0 30 59 96mm	FA132W02 0 57 102 210mm	FA133W02 0 57 102 210mm
W20 2NO Slow break	FA131W20 0 14 56mm	FA134W20 0 28 96mm	FA132W20 0 5.3 210mm	FA133W20 0 5.3 210mm
WEIGHT gr. - MIN. PACK QTY.	168 gr. 1 pcs.	175 gr. 1 pcs.	186 gr. 1 pcs.	186 gr. 1 pcs.

DIMENSIONS



Limit Switches

FA1 Series

IP66 die-cast aluminium type



TECHNO-CONTROL EQUIPMENT

1 cable entry
M16x1.5



FA138



FA141



FA139



FA140

TYPE OF OPERATOR		18 Ø PA ROLLER LEVER	50 Ø RUBBER ROLLER LEVER	VARIABLE LENGTH 18 Ø PA ROLLER LEVER	VARIABLE LENGTH 50 Ø RUBBER ROLLER LEVER
Standard - Positive opening NC contacts →		- →	-	-	-
Minimum tripping force		0.10	0.10	0.10	0.10
Minimum positive opening force		0.32	-	-	-
Z11 1NC-1NO	Snap action	FA138Z11 	FA141Z11 	FA139Z11 	FA140Z11
X11 1NC-1NO	Slow break	FA138X11 	FA141X11 	FA139X11 	FA140X11
Y11 1NC-1NO overlapping	Slow break	FA138Y11 	FA141Y11 	FA139Y11 	FA140Y11
Z02 2NC	Snap action	FA138Z02 	FA141Z02 	FA139Z02 	FA140Z02
W02 2NC	Slow break	FA138W02 	FA141W02 	FA139W02 	FA140W02
W20 2NO	Slow break	FA138W20 	FA141W20 	FA139W20 	FA140W20

WEIGHT gr. – MIN. PACK QTY.

235 gr. 1 pcs.

255 gr. 1 pcs.

245 gr. 1 pcs.

265 gr. 1 pcs.

DIMENSIONS

